

Baler, hydraulic presse PAAL Konti 275 D

Technical specification

Max. pressure:	75 tons	Year of production:	1997
Unit pressure:	90,9 t/m ²	Number of strappings:	4 in vertikal
Cross-section of the channel:	750 x 1100 mm	Filling inlet:	1020 x 1550 mm
Bale weight:	500-750 kg	Weight:	ca. 25 tons
Supply:	400 V	Bale tying:	automatic, wire
Motor:	75 kW (can be changed to 55 or 45 kW)		

Efficiency on idle: max 750 m³ / h

Efficiency under load: max 350 m³ / h


Theoretical efficiency with material in density 35 kg/m³) 12 tons/h

Theoretical efficiency with material in density 60 kg/m³) 21 tons/h

Theoretical efficiency with material in density 100 kg/m³) 33 tons/h

A short description of functions:

- Open charging hole allows the filling with the conveyor belt .
- Knives on the press plate and frame of the baler to cut off the excess material
- Automatic regulation of the light of the channel
- Automatic bale tying with the wire
- Choosing the length of the finished bale from the operator panel
- Pressing plate which is stable carried on the big rolls
- Big flops of the press chamber for easier maintenance



Zdjęcia poglądowe

Nasze instalacje





Masz pytania zadzwoń +48 33 816 01 69
Więcej maszyn na www.belowniceuzywane.pl

ARTechnic
ul. Gen. St. Maczka 9
43-300 Bielsko-Biała, POLAND

INFOLINIA: 801 000 816
tel.: +48 33 816 01 69
fax: +48 33 443 20 46

www.artechnic.pl
www.belowniceuzywane.pl
biuro@artechnic.pl