



WASTE BALING PRESSES

Baler, hydraulic presse PAAL Konti 200 D

Technical specification

Max. pressure:	60 tons	Year of production:	1999
Unit pressure:	72.7 kg/cm ²	Number of strappings:	4 vertically
Cross-section of the channel:	750 x 1100 mm	Filling inlet:	1020 x 1400 mm
Bale weight:	450-650 kg	Weight:	ca. 20 tons
Supply:	400 V/ 45 kW	Bale tying:	automatic, wire

Maximum hopper volume: 1.85 m³

Idle capacity: max. 650 m³/hour

Operating capacity: max. 280 m³/hour

Theoretical capacity:


9.5 tons/hour (for a raw material weighing 35 kg/m³)

16.5 tons/hour (for a raw material weighing 60 kg/m³)

26 tons/hour (for a raw material weighing 100 kg/m³)

- Open charging hole allows the filling with the conveyor belt .
- Knives on the press plate and frame of the baler to cut off the excess material
- Automatic regulation of the light of the channel
- Automatic bale tying with the wire, 4 vertically
- Choosing the length of the finished bale from the operator panel
- Pressing plate which is stable carried on the big rolls
- Big flops of the press chamber for easier maintenance
- Compact hydraulic power unit with low noise emissions
- Hydraulic oil cooler
- Hydraulic oil heater
- Two sets of photocells in the hopper

Dimension:




Abmessungen (mm)

KONTI	A	B	C	D	E	F	G	H	I	K	L	M
200 D	10 123	2 152	4 820	1 400	3 800	3 675	4 500	5 623	2 720	375	750	3 600



Zdjęcia poglądowe

Nasze instalacje



Masz pytania zadzwoń +48 33 816 01 69

Więcej maszyn na www.belowniceuzywane.pl

ARTechnic
ul. Gen. St. Maczka 9
43-300 Bielsko-Biała, POLAND

INFOLINIA: 801 000 816
tel.: +48 33 816 01 69
fax: +48 33 443 20 46

www.artehnic.pl
www.belowniceuzywane.pl
biuro@artehnic.pl