


Baler, hydraulic presse PAAL Pacomat 4 so / 50

Technical specification

Max. pressure:	50 tons	Year of production:	1995
Unit pressure:	7,14 kg/cm ²	Number of strappings:	3 in horizontal
Cross-section of the channel:	1000 x 700 mm	Filling inlet:	1500 x 950 mm
Bale weight:	do 500 kg	Weight:	ca. 10 tons
Supply:	400 V/ 22 kW	Bale tying:	automatic, wire

- Open charging hole allows the filling with the conveyor belt .
- Knives on the press plate and frame of the baler to cut off the excess material
 - Automatic regulation of the light of the channel
 - Automatic bale tying with the wire
- Choosing the length of the finished bale from the operator panel
 - Pressing plate which is stable carried on the big rolls

Dimension:



Abmessungen:	mm	A	B	C	D	E	F	G	H	K	L	M	N
PACOMAT	I u. IS	800	650	700	700	2000	2100	2705	2715	5420	860	2350	1770
PACOMAT	II u. II S	1000	650	700	1000	2500	2650	3365	3060	6425	860	2350	1770
PACOMAT	IV	1250	950	1000	700	2060	2350	3940	3660	7600	1010	2800	2070
PACOMAT	V	1250	950	1000	700	2060	2350	4340	3710	8050	1010	2800	2070



Zdjęcia poglądowe

Nasze instalacje





Masz pytania zadzwoń +48 33 816 01 69
Więcej maszyn na www.belowniceuzywane.pl

ARTechnic
ul. Gen. St. Maczka 9
43-300 Bielsko-Biała, POLAND

INFOLINIA: 801 000 816
tel.: +48 33 816 01 69
fax: +48 33 443 20 46

www.artehnic.pl
www.belowniceuzywane.pl
biuro@artehnic.pl