


Baler, hydraulic presse PAAL Konti 425 C

Technical specification

Max. pressure:	100 tons	Year of production:	1996
Unit pressure:	121,2 tons/m ²	Number of strappings:	4 - fold vertical,
Cross-section of the channel:	750 x 1100 mm	Filling inlet:	1020 x 2000 mm
Bale weight:	550-750 kg	Weight:	ca 36 tons
Supply:	400 V/ 2 x45 kW	Bale tying:	automatic, wire

Efficiency on idle: max 780 m³/ hour
 Efficiency under load: max 370 m³ / hour

Theoretical efficiency with material in density 35 kg/m³ 13 tons/hour
 Theoretical efficiency with material in density 60 kg/m³ 22 tons/hour
 Theoretical efficiency with material in density 100 kg/m³ 35 tons/hour



Abmessungen (mm)

KONTI	A	B	C	D	E	F	G	H	I	K	L	M
425 C	14 827	2 352	5 560	2 000	6 755	3 835	7 755	7 072	3 210	535	750	4 200





Masz pytania zadzwoń +48 33 816 01 69
Więcej maszyn na www.belowniceuzywane.pl

ARTechnic
ul. Gen. St. Maczka 9
43-300 Bielsko-Biała, POLAND

INFOLINIA: 801 000 816
tel.: +48 33 816 01 69
fax: +48 33 443 20 46

www.artehnic.pl
www.belowniceuzywane.pl
biuro@artehnic.pl