



WASTE BALING PRESSES

Baler, hydraulic presse PAAL Konti 200 B after Premium renovation, with new control panel

Technical specification

Max. pressure:	50 tons	Year of production:	1985
Unit pressure:	6.06 kg/cm ²	Number of strappings:	4
Cross-section of the channel:	750 x 1100 mm	Bale tying:	automatic, wire
Bale weight:	425-650 kg	Weight:	ca. 19 tons
Supply:	400 V/ 45 kW		

After Premium renovation, with new control panel

Efficiency on idle: max 640 m³/ hour

Efficiency under load: max 300 m³ / hour

Theoretical efficiency with material in density 35 kg/m³ ca. 10,5 tons/hour

Theoretical efficiency with material in density 60 kg/m³ ca. 18 tons/hour

Theoretical efficiency with material in density 100 kg/m³ ca. 28 tons/hour

- Open charging hole allows the filling with the conveyor belt .
- Knives on the press plate and frame of the baler to cut off the excess material
 - Automatic regulation of the light of the channel
 - Automatic bale tying with the wire
- Choosing the length of the finished bale from the operator panel
 - Pressing plate which is stable carried on the big rolls
 - Big flops of the press chamber for easier maintenance

Dimension:



Masz pytania zadzwoń +48 33 816 01 69
Więcej maszyn na www.belowniceuzywane.pl

ARTechnic
ul. Gen. St. Maczka 9
43-300 Bielsko-Biała, POLAND

INFOLINIA: 801 000 816
tel.: +48 33 816 01 69
fax: +48 33 443 20 46

www.artehnic.pl
www.belowniceuzywane.pl
biuro@artehnic.pl