

Belownica prasa do odpadów pozioma PVG - z klapami hydraulicznymi

Specyfikacja techniczna

Siła nacisku:	30 ton	Waga belki:	do 400 kg
Nacisk jednostkowy:	3.75 kg/cm ²	Zasilanie:	400V / 7,5 kW
Wymiary belki:	1000x800x1200 mm		
Uwagi: kłapy hydrauliczne			

Ogłoszenie grzecznościowe
Kontakt ze sprzedajacym tel. 513 058 210

DIXI-PVG LP 20 + 30
These horizontal presses
will swallow the most awkward
materials without a hiccup

 A Schleicher Group company

The very large compaction compartments of these horizontal presses allow them to "swallow" large amounts of very awkward material without any trouble. In this case the press is filled through two lids mounted on the compaction compartment. The compaction takes place automatically when a button is pressed. The bale can be tied either with plastic tape off the roll or wire with ready-looped ends. The tied bale is fully ejected through the hydraulically operated outlet door at the end.

The following are standard features

- Hydraulic opening of outlet door
- Automatic return stroke and shutoff at end of stroke
- Tying system can be varied to adapt it to the particular problem
- Tying with wire from the reel or wire with ready-looped ends, or alternatively with plastic tape from the roll
- Crosswise tying is possible (with additional equipment)
- Bale is fully ejected at Europallet height
- Modern energy-saving design

Special extras:
 Crosswise tying system, hydraulic lids combined with guard grille, tipper attachment.





Technical Data

	LP 20	LP 30
Pressure	20 t	30 t
Size of compartment	81 x 32 x 32"	102 x 39 x 32"
Size of inlet opening	63 x 32"	71 x 37"
Approx. bale size	32 x 32 x 20 - 51"	39 x 32 x 20 - 51"
Approx. bale weight	60 - 350 kg	80 - 500 kg
Motor power rating	5.5 kW, 380 V, 50 Hz	7.5 kW, 380 V, 50 Hz

We reserve the right to make technical modifications without prior notice.

 **Pressen Union GmbH**
 Baling and refuse presses
 Waste disposal techniques

Im Färcher 5 · D-6170 Bad Tölz
 West Germany · Tel 0 80 41 050 84-85
 Telex 526 254 d · Telefax 0 80 41 050 96
 Distribution centre for North Germany:
 Postfach 88 · D-3002 Wedemark 14
 West Germany · Tel 0 51 30 70 01
 Telefax 0 51 30 70 01
 Branch Office: Riedheimstr. 1-5
 D-7778 Markdorf/Badenweiler
 West Germany · Tel 0 75 44 80 44
 Telefax 0 75 44 80 45



Zdjęcia poglądowe

Masz pytania zadzwoń +48 33 816 01 69
Więcej maszyn na www.belowniceuzywane.pl

ARTechnic
ul. Gen. St. Maczka 9
43-300 Bielsko-Biała, POLAND

INFOLINIA: 801 000 816
tel.: +48 33 816 01 69
fax: +48 33 443 20 46

www.artehnic.pl
www.belowniceuzywane.pl
biuro@artehnic.pl